



## PEL-2

### Study of TRIAC Characteristics

---

#### Salient Features:

- Single Stand-alone kit
- No external equipment/instruments required
- All test points are user connectable

#### Experiments:

- I-V Characteristics of TRIAC for different gate currents
- Determination of Latching Current
- Determination of Holding Current
- Observation of Forward/Reverse leakage current

#### Features:

- Variable DC Source: 0 ~  $\pm 250\text{V}$ , 0.75A
- Variable DC Source: 0 ~  $\pm 10\text{V}$ , 100mA
- Digital Voltmeter: 0 ~  $\pm 500\text{V}$  (peak/instant)
- Digital Voltmeter: 0 ~  $\pm 20\text{V}$
- Digital Ammeter: 0 ~  $\pm 500\mu\text{A}/500\text{mA}$  (selectable)
- Digital Ammeter: 0 ~  $\pm 20\text{mA}$
- Lamp/Resistance Load
- Test Points
- Detailed Instruction Manual

Release: October, 2012.

Note: Specifications are subject to change without notice. Please contact us or visit our website for updated features.

#### **Core Technologies**

Suite No.8A, 3<sup>rd</sup> Floor

184, Lenin Sarani

Kolkata 700 013

Phone: 22126863, 6865

Fax: 22124167

Email: [info@core-technologies.com](mailto:info@core-technologies.com)

Web: [www.core-technologies.com](http://www.core-technologies.com)

---